


CLAIMS

1. (currently amended) A compound of Formula I:



or a pharmaceutically acceptable salt thereof, wherein:

R^1 is C_6-C_{10} aryl substituted with 0-3 R^{1a} , or a C_3-C_8 cycloalkyl substituted with 0-2 R^{1b} , wherein said C_3-C_8 cycloalkyl is saturated or unsaturated;

each R^{1a} is independently a member selected from the group consisting of H, C₁-C₃ perfluoroalkyl, C₃-C₇ cycloalkyl, F, Cl, Br, CN, NO₂, OR¹⁰, SCH₃, S(=O)CH₃, S(=O)₂R¹⁰, NR¹¹R¹², acetyl, C(=O)OR¹³, C(=O)NR¹³R¹⁴, S(=O)₂NR¹³R¹⁴, phenyl substituted with 0-3 R¹⁵, and a C₁-C₄ alkyl substituted with 0-2 R¹⁶;

each R^{1b} is independently a member selected from the group consisting of H, OH, F, Cl, acetyl, $=O$, C_1 - C_6 alkyl, C_1 - C_6 alkoxy, CF_3 and OCF_3 ;

R^2 is a member selected from the group consisting of a phenyl substituted with 0-3 R^{15} , a C_1 - C_6 alkyl substituted with 0-2 R^{2a} , ~~wherein said C_1 - C_6 alkyl optionally contains a heteroatom selected from the group consisting of O, S, and $S(=O)_2$~~ , a C_2 - C_6 alkenyl, a C_2 - C_6 alkynyl, a C_3 - C_7 cycloalkyl substituted with 0-2 R^{19} , and a C_7 - C_{11} bicycloalkyl substituted with 0-2 R^{19} :

each R^{2a} is independently a member selected from the group consisting of a C_6 - C_{10} aryl substituted with 0-3 R^{15} , a C_3 - C_8 cycloalkyl substituted with 0-2 R^{19} , and a C_7 - C_{11} bicycloalkyl substituted with 0-2 R^{19} :

R^3 is a member selected from the group consisting of H and C_1 - C_4 alkyl;

subscript n is 0 or ± 1 :

R^4 is a member selected from the group consisting of H and C_1 - C_6 alkyl;

R^5 is a member selected from the group consisting of H, C₃-C₇ cycloalkyl, C₂-C₆ alkenyl, C₂-C₆ alkyne, phenyl substituted with 0-2 R¹⁵; and a C₁-C₆ alkyl substituted with 0-2 R¹⁸, wherein said C₄-C₆ alkyl optionally contains a heteroatom selected from the group consisting of O, S, S(=O), S(=O)₂ and NR¹⁷;

Y is a member independently selected from the group consisting of a bond and $-(CR^{20}R^{21})_m-W-(CR^{22}R^{23})_p-$;

subscript p is 1 or 2;

subscript m is 0 or 1;

W is a member independently selected from the group consisting of a bond, $-O-$, $-S-$, $-S(=O)-$, $-S(=O)_2-$ and $NR^{12}-$;

X is selected from the group consisting of $-C(=O)-$, $-OC(=O)-$, $NR^{24}C(=O)-$ and $-S(=O)_2-$;

each of R^6 , R^7 , R^8 and R^9 is independently a member selected from the group consisting of H and C_1-C_4 alkyl;

Ar is a member selected from the group consisting of phenyl substituted with 0-3 R^{29} , and 5 to 6 membered heteroaryl containing 1 to 4 heteroatoms each independently a member selected from the group consisting of N, O and S, wherein said heteroaryl is substituted with 0-3 R^{29} ;

each R^{10} is independently a member selected from the group consisting of H, C_3-C_7 cycloalkyl, a C_1-C_3 perfluoroalkyl, a C_1-C_4 alkyl substituted with 0-1 R^{25} , and a phenyl substituted with 0-3 R^{15} ;

each R^{11} is independently a member selected from the group consisting of H, 'BOC, Cbz, C_3-C_8 cycloalkyl, $(C_1-C_6$ alkyl)- $C(=O)-$, $(C_1-C_6$ alkyl)- $S(=O)_2-$ and a C_1-C_6 alkyl;

each of R^{12} , R^{13} and R^{14} is independently a member selected from the group consisting of H and C_1-C_4 alkyl;

each R^{15} is independently a member selected from the group consisting of H, OH, F, Cl, Br, I, CN, NO_2 , $COOR^{13}$, $C(=O)NR^{13}R^{14}$, $S(=O)_2NR^{13}R^{14}$, acetyl, $-SCH_3$, $-S(=O)CH_3$, $-S(=O)_2CH_3$, $NR^{26}R^{27}$, C_1-C_6 alkoxy, C_1-C_3 perfluoroalkyl, C_1-C_3 perfluoroalkoxy and a C_1-C_6 alkyl;

each R^{16} is independently a member selected from the group consisting of H, OH, $COOR^{13}$, $C(=O)NR^{13}R^{14}$, $S(=O)_2NR^{13}R^{14}$, acetyl, $-SCH_3$, $-S(=O)CH_3$, $-S(=O)_2CH_3$, C_1-C_6 alkoxy, $NR^{26}R^{27}$, and a phenyl substituted with 0-3 R^{15} ;

~~R^{17} is a member selected from the group consisting of H and C_4-C_4 alkyl;~~

each R^{18} is independently a member selected from the group consisting of H, OH, F, Cl, CN, NO_2 , $C(=O)OR^{30}$, $C(=O)NR^{13}R^{14}$, $NR^{11}R^{12}$, a C_1-C_3 perfluoroalkyl, a C_1-C_3 perfluoroalkoxy, a phenyl substituted with 0-3 R^{15} ; and C_3-C_8 cycloalkyl;

Inventors: Liu, *et al.*

Filing Date: March 23, 2004

Response to Final Office Action mailed August 2, 2007

Date: September 24, 2007

each R^{19} is [[a]] independently a member selected from the group consisting of C_1 - C_4 alkyl, F, Cl and C_1 - C_4 alkoxy, CF_3 and OCF_3 ;

each of R^{20} , R^{21} , R^{22} and R^{23} is independently a member selected from the group consisting of a bond, H, F, OH, C_1 - C_4 alkyl, and C_1 - C_3 alkylhydroxy;

~~R^{24} is a member selected from the group consisting of H and C_1 - C_4 alkyl;~~

each R^{25} is independently a member selected from the group consisting of H, C_3 - C_7 cycloalkyl, and a phenyl substituted with 0-3 R^{15} ;

each R^{26} is independently a member selected from the group consisting of H, C_1 - C_4 alkyl, (C_1 - C_4 alkyl)- $C(=O)$ - and (C_1 - C_4 alkyl)- $S(=O)_2$ -;

each R^{27} is independently a member selected from the group consisting of H and C_1 - C_4 alkyl;

each R^{28} is independently a member selected from the group consisting of H, a C_1 - C_6 alkyl, C_3 - C_8 cycloalkyl, a phenyl substituted with 0-3 R^{15} , and a benzyl substituted with 0-2 R^{15} ;

each R^{29} is independently a member selected from the group consisting of H, F, Cl, Br, I, CN, NO_2 , OR^{28} , SR^{28} , $S(=O)R^{28}$, $S(=O)_2R^{28}$, $S(=O)_2NR^{13}R^{14}$, $NR^{26}R^{27}$, acetyl, $C(=O)NR^{13}R^{14}$, $C(=O)OR^{13}$, C_1 - C_6 alkyl, $OCHF_2$, SCF_3 , OCF_3 , and - $C(=NH)NH_2$;

alternatively, wherein R^{29} and R^9 are taken together to form a 5- to 7-membered fused heterocyclic ring containing 1-2 heteroatom(s) each independently a member selected from the group consisting of N, O and S; wherein said 5 to 7 membered fused heterocyclic ring is substituted with 0-2 R^{19} ;

each R^{30} is independently a member selected from the group consisting of H, C_3 - C_7 cycloalkyl, C_1 - C_4 alkyl substituted with 0-1 R^{25} , and a phenyl substituted with 0-3 R^{15} ;

and with the proviso that R^3 , R^4 , R^5 , R^6 , R^7 , R^8 , and R^9 are not all hydrogen.

2-3. (canceled)

4. (previously presented) The compound of claim 1, wherein R^1 is phenyl substituted with 0-3 R^{1a} .

5-6. (canceled)


Inventors: Liu, *et al.*

Filing Date: March 23, 2004

Response to Final Office Action mailed August 2, 2007

Date: September 24, 2007

7. (currently amended) The compound of claim 9-1, according to formula Ia:



wherein:

R^1 is C_3 - C_8 cycloalkyl substituted with 0-2 R^{1b} , wherein said C_3 - C_8 cycloalkyl is saturated or unsaturated; and

R^2 is a member selected from the group consisting of a phenyl substituted with 0-3 R^{15} , a C_1 - C_6 alkyl substituted with 0-2 R^{2a} , and a C_3 - C_7 cycloalkyl substituted with 0-2 R^{19} ;

and

~~Ar is phenyl substituted with 0-3 R²⁹, or alternatively, R²⁹ and R⁹ are taken together to form a 5 to 7 membered fused heterocyclic ring containing 1-2 heteroatom(s) each independently a member selected from the group consisting of N, O and S; wherein said 5 to 7 membered fused heterocyclic ring is substituted with 0-2 R¹⁹.~~

8. (currently amended) The compound of claim [[7]] 9, wherein:


R^2 is a member selected from the group consisting of a C_1 - C_2 alkyl substituted with 1 R^{2a} , and C_1 - C_6 alkyl;

each R^{2a} is independently a member selected from the group consisting of a phenyl substituted with 0-3 R^{15} , and a C_3-C_8 cycloalkyl substituted with 0-2 R^{19} ;


R^5 is a member selected from the group consisting of H, C₃-C₇ cycloalkyl; and a C₁-C₆ alkyl substituted with 0-1 R¹⁸, wherein said C₄-C₆ alkyl optionally contains a heteroatom selected from the group consisting of O, S, S(=O), S(=O)₂, and NR¹⁷; and

each R¹⁸ is independently a member selected from the group consisting of H, OH, F, Cl, CN, C(=O)OR³⁰, C(=O)NR¹³R¹⁴, NR¹¹R¹², a phenyl substituted with 0-3 R¹⁵, and C₃-C₈ cycloalkyl.

9. (currently amended) The compound of claim [[7]] 1, wherein said compound is of the formula:




10-15. (canceled)


16. (currently amended) The compound of claim 18 ~~1~~, according to formula **Ie**

wherein:

 R^1 is C_6 - C_{10} aryl substituted with 0-3 R^{1a} ; andeach R^{1a} is independently a member selected from the group consisting of H, C_1 - C_3 perfluoroalkyl, C_3 - C_7 cycloalkyl, F, Cl, Br, CN, NO_2 , OR^{10} , SCH_3 , $S(=O)CH_3$, $S(=O)_2R^{10}$, $NR^{11}R^{12}$, acetyl, $C(=O)OR^{13}$, $C(=O)NR^{13}R^{14}$, $S(=O)_2NR^{13}R^{14}$, phenyl substituted with 0-3 R^{15} , and a C_1 - C_4 alkyl substituted with 0-2 R^{16} ; and~~Ar is phenyl substituted with 0-3 R^{29} , or alternatively, R^{29} and R^9 are taken together to form a 5 to 7 membered fused heterocyclic ring containing 1-2 heteroatom(s) each independently a member selected from the group consisting of N, O and S; wherein said 5 to 7 membered fused heterocyclic ring is substituted with 0-2 R^{19} .~~17. (currently amended) The compound of claim [[16]] 18, wherein: R^2 is a member selected from the group consisting of a C_1 - C_2 alkyl substituted with 1 R^{2a} , and C_1 - C_6 alkyl;each R^{2a} is independently a member selected from the group consisting of a phenyl substituted with 0-3 R^{15} , and a C_3 - C_8 cycloalkyl substituted with 0-2 R^{19} ; and ~~R^5 is a member selected from the group consisting of H, C_3 - C_7 cycloalkyl; and a C_1 - C_6 alkyl, wherein said C_1 - C_6 alkyl optionally contains a heteroatom selected from the group consisting of O, S, $S(=O)$, $S(=O)_2$ and NR^{17} .~~18. (currently amended) The compound of claim [[16]] 1, wherein said compound is of the formula:



19. (currently amended) The compound of claim 9 ~~1~~, according to formula Ia



wherein:

R^1 is $\text{C}_6\text{-C}_{10}$ aryl substituted with 0-3 R^{1a} ;

each R^{1a} is independently a member selected from the group consisting of H, $\text{C}_1\text{-C}_3$ perfluoroalkyl, $\text{C}_3\text{-C}_7$ cycloalkyl, F, Cl, Br, CN, NO_2 , OR^{10} , SCH_3 , $\text{S}(\text{=O})\text{CH}_3$, $\text{S}(\text{=O})_2\text{R}^{10}$, $\text{NR}^{11}\text{R}^{12}$, acetyl, $\text{C}(\text{=O})\text{OR}^{13}$, $\text{C}(\text{=O})\text{NR}^{13}\text{R}^{14}$, $\text{S}(\text{=O})_2\text{NR}^{13}\text{R}^{14}$, phenyl substituted with 0-3 R^{15} ; and a $\text{C}_1\text{-C}_4$ alkyl substituted with 0-2 R^{16} ;


R^2 is a member selected from the group consisting of a phenyl substituted with 0-3 R^{15} ; a $\text{C}_1\text{-C}_2$ alkyl substituted ~~[[with R^{2a}]]~~ with 1 R^{2a} , and a $\text{C}_3\text{-C}_7$ cycloalkyl substituted with 0-2 R^{19} ; and

each R^{2a} is independently a member selected from the group consisting of a $\text{C}_6\text{-C}_{10}$ aryl substituted with 0-3 R^{15} ; a $\text{C}_3\text{-C}_8$ cycloalkyl substituted with 0-2 R^{19} ; and a $\text{C}_7\text{-C}_{11}$ bicycloalkyl substituted with 0-2 R^{19} ; and

~~Ar is phenyl substituted with 0-3 R^{20} , or alternatively, R^{20} and R^9 are taken together to form a 5 to 7 membered fused heterocyclic ring containing 1-2 heteroatom(s) each independently a member selected from the group consisting of N, O and S; wherein said 5 to 7 membered fused heterocyclic ring is substituted with 0-2 R^{19} .~~

20-22. (canceled)


23. (currently amended) The compound of claim 1, according to formula Ig:



wherein:

R^5 is a member selected from the group consisting of H, C₃-C₇ cycloalkyl, C₂-C₆ alkenyl, C₂-C₆ alkyne, phenyl substituted with 0-2 R^{15} ; and a C₁-C₆ alkyl substituted with 0-2 R^{18} , ~~wherein said C₁-C₆ alkyl optionally contains a heteroatom selected from the group consisting of O, S, S(=O), S(=O)₂ and NR⁴⁷.~~

24. (previously presented) The compound of claim 23, according to formula Ih:



25. (currently amended) The compound of claim 1, wherein R⁹ is H; and Ar is phenyl substituted with 0-3 R^{29} , or alternatively, R²⁹ and R⁹ are taken together to form a 5- to 7-membered fused heterocyclic ring containing 1-2 heteroatom(s) each independently a member selected from the group consisting of N, O and S; wherein said 5- to 7-membered fused heterocyclic ring is substituted with 0-2 R^{49} .

26. (canceled)

27. (currently amended) A pharmaceutical composition comprising the compound of Formula I in claim 1[: or]] and a pharmaceutically acceptable salt and an excipient.

28. (currently amended) A pharmaceutical composition comprising the compound of claim 38 and a pharmaceutically acceptable excipient.

29-37. (canceled)

38. (currently amended) The compound of claim 1, selected from the group consisting of:

(S)-N-{1-[2-(5-Fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-3-methyl-butyl}-3-methyl-benzamide;

N-(S)-{2-cyclohexyl-1-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-ethyl}-4-phenoxy-benzamide;

(S)-3-Cyclohexyl-N-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethyl]-2-[2-(4-methoxy-phenyl)-acetylamino]-propionamide;

(S)-N-{1-[2-(5-Chloro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-3-methyl-butyl}-3-methyl-benzamide;

(S)-N-{3-Cyclohexyl-1-[2-(7-methoxy-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-propyl}-3-methoxy-benzamide;

(S)-N-{3-Cyclohexyl-1-[2-(6-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-propyl}-3-methoxy-benzamide;

(S)-N-{3-Cyclohexyl-1-[2-(7-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-propyl}-3-methoxy-benzamide;

(S)-N-{3-Cyclohexyl-1-[2-(5-cyano-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-propyl}-3-methoxy-benzamide;

Cyclopropanecarboxylic acid (S)-{2-cyclohexyl-1-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-ethyl}-amide;

(S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-propyl}-3-methoxy-benzamide;

(S)-N-{3-Cyclohexyl-1-[2-(5-methoxy-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-propyl}-3-methoxy-benzamide;

(S)-N-{3-Cyclohexyl-1-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-propyl}-3-methoxy-benzamide;

(S)-N-{3-Cyclohexyl-1-[2-(5-benzyloxy-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-propyl}-3-methoxy-benzamide;

~~N-(1-(S)-{2-(4-Methoxy phenylamino) propylcarbamoyl}-3-methyl butyl)-3-methyl benzamide;~~

~~N-(1-(S)-{2-(4-Methoxy phenylamino) 1-methyl ethylcarbamoyl}-3-methyl butyl)-3-methyl benzamide;~~

~~N-(1-(S)-{2-(4-Methoxy phenylamino) 1-(S) methyl ethylcarbamoyl}-3-methyl butyl)-3-methyl benzamide;~~

~~N-(1-(S)-{2-(4-Methoxy phenylamino) 1-(R) methyl ethylcarbamoyl}-3-methyl butyl)-3-methyl benzamide;~~

~~N-[2-Cyclohexyl-(1S)-[2-(4-methoxy-phenylamino)-(1R)-methyl-ethylcarbamoyl]-ethyl]-3-methoxy-benzamide;~~

~~N-[(1S)-[2-(5-Fluoro-2,3-dihydro-indol-1-yl)-1,1-dimethyl-ethylcarbamoyl]-2-phenyl-ethyl]-3-methyl-benzamide;~~

~~N-[1-(S)-[1-(R)-Benzyl-oxymethyl-2-(4-methoxy-phenylamino)-ethylcarbamoyl]-3-methyl-butyl]-3-methyl-benzamide;~~

~~N-(S)-[(1-(R)-Benzyl-oxymethyl-2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-phenyl-methyl]-3-methoxy-benzamide;~~

~~N-[1-(S)-[1-(R)-Benzyl-oxymethyl-2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-2-(4-fluoro-phenyl)-ethyl]-3-methoxy-benzamide;~~

~~N-[1-(S)-[(2-Benzyl-oxyl-(R)-(5-fluoro-2,3-dihydro-indol-1-yl)methyl)-ethylcarbamoyl]-3-cyclohexyl-propyl]-3-methoxy-benzamide;~~

~~N-[3-Cyclohexyl-1-(S)-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-1-(R)-hydroxymethyl-ethylcarbamoyl]-propyl]-3-methoxy-benzamide;~~

~~N-[3-Cyclohexyl-1-(R)-[(S)-2-(5-fluoro-2,3-dihydro-indol-1-yl)-1-(R)-hydroxymethyl-ethylcarbamoyl]-propyl]-3-methoxy-benzamide;~~

~~(S,S)-5-(5-Fluoro-2,3-dihydro-indol-1-yl)-4-[4-methyl-2-(3-methyl-benzoylamino)-pentanoylamino]-pentanoic acid benzyl ester;~~

~~(S,S)-5-(5-Fluoro-2,3-dihydro-indol-1-yl)-4-[4-methyl-2-(3-methyl-benzoylamino)-pentanoylamino]-pentanoic acid;~~

~~(S,S)-N-[1-[3-Carbamoyl-1-(5-fluoro-2,3-dihydro-indol-1-yl)methyl]-propylcarbamoyl]-3-methyl-butyl]-3-methyl-benzamide;~~

~~(S,S)-N-[1-[1-(5-Fluoro-2,3-dihydro-indol-1-yl)methyl]-3-ureido-propylcarbamoyl]-3-methyl-butyl]-3-methyl-benzamide;~~

~~(S,S)-3-[4-Cyclohexyl-2-(3-methoxy-benzoylamino)-butyrylamino]-4-(5-fluoro-2,3-dihydro-indol-1-yl)-butyric acid benzyl ester;~~

~~(S,S)-3-[4-Cyclohexyl-2-(3-methoxy-benzoylamino)-butyrylamino]-4-(5-fluoro-2,3-dihydro-indol-1-yl)-butyric acid;~~

~~(S,S)-N-[1-[1-Benzyl-2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-3-cyclohexyl-propyl]-3-methoxy-benzamide;~~

~~(S,S)-N-[3-Cyclohexyl-1-[1-(5-fluoro-2,3-dihydro-indol-1-yl)methyl]-3-methyl-butylcarbamoyl]-propyl]-3-methoxy-benzamide;~~

(S,S)-N-{3-Cyclohexyl-1-[1-(5-fluoro-2,3-dihydro-indol-1-ylmethyl)-2-methyl-propylcarbamoyl]-propyl}-3-methoxy-benzamide;

(S,S)-N-{3-Cyclohexyl-1-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-1-phenyl-ethylcarbamoyl]-propyl}-3-methoxy-benzamide;

~~N-(1-(S)-[2-(R)-Benzyl oxy-1-(R)-(5-fluoro-2,3-dihydro-indol-1-ylmethyl)-propylcarbamoyl]-3-cyclohexyl-propyl)-3-methoxy-benzamide;~~

~~N-(1-(R)-[1-(R)-Benzylsulfanyl-methyl-2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-3-cyclohexyl-propyl)-3-methoxy-benzamide;~~

~~(S,S)-[5-[4-Cyclohexyl-2-(3-methoxy-benzoylamino)-butyrylamino]-6-(5-fluoro-2,3-dihydro-indol-1-yl)-hexyl]-carbamic acid benzyl ester;~~

N-{2-cyclohexyl-1-(S)-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-ethyl}-2-(2-fluoro-biphenyl-4-yl)-propionamide;

N-{2-cyclohexyl-1-(S)-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-ethyl}-2-p-tolyl-propionamide;

N-{2-cyclohexyl-1-(S)-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-ethyl}-2-o-tolyl-propionamide;

N-{2-cyclohexyl-1-(S)-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-ethyl}-2-(4-fluoro-phenyl)-propionamide;

2-(4-Chloro-phenyl)-N-{2-cyclohexyl-1-(S)-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-ethyl}-propionamide;

N-{2-cyclohexyl-1-(S)-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-ethyl}-2-(R)-phenyl-propionamide;

N-(S)-{2-cyclohexyl-1-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;

N-(S)-{2-cyclohexyl-1-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-ethyl}-4-(methanesulfonylamino-methyl)-benzamide;

N-(S)-{2-cyclohexyl-1-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-ethyl}-3-methanesulfonyl-benzamide;

N-(S)-{2-cyclohexyl-1-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-ethyl}-4-methanesulfonylamino-benzamide;

N-{2-cyclohexyl-1-(S)-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-ethyl}-2-(4-hydroxy-phenyl)-propionamide;

4-Cyclohexyl-N-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethyl]-2-(S)-(2-(R)-phenyl-propionylamino)-butyramide;

N-[2-cyclohexyl-1-(S)-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-ethyl]-2-(R)-phenyl-butyramide;

~~N-[1-(S)-[1-(R)-Benzylloxymethyl-2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-2-cyclohexyl-ethyl]-3-methoxy-benzamide;~~

N-[2-Cyclohexyl-1-(S)-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-1-(R)-hydroxymethyl-ethylcarbamoyl]-ethyl]-3-methoxy-benzamide;

~~N-[1-(S)-[1-(R)-Benzylloxymethyl-2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-3,3-dimethyl-butyl]-3-methoxy-benzamide;~~

N-[1-(S)-[2-(5-Fluoro-2,3-dihydro-indol-1-yl)-1-(R)-hydroxymethyl-ethylcarbamoyl]-3,3-dimethyl-butyl]-3-methoxy-benzamide;

~~3-(S)-(2-(S)-Benzyloxycarbonylamino-4,4-dimethyl-pentanoylamino)-4-(5-fluoro-2,3-dihydro-indol-1-yl)-butyric acid tert-butyl ester;~~

~~3-(S)-(2-(S)-Benzyloxycarbonylamino-4,4-dimethyl-pentanoylamino)-4-(5-fluoro-2,3-dihydro-indol-1-yl)-butyric acid;~~

4-(5-Fluoro-2,3-dihydro-indol-1-yl)-3-(S)-[2-(S)-(3-methoxy-benzoylamino)-4,4-dimethyl-pentanoylamino]-butyric acid tert-butyl ester;

3-(S)-[3-Cyclohexyl-2-(S)-(3-methoxy-benzoylamino)-propionylamino]-4-(5-fluoro-2,3-dihydro-indol-1-yl)-butyric acid benzyl ester;

3-(S)-[3-Cyclohexyl-2-(S)-(3-methoxy-benzoylamino)-propionylamino]-4-(5-fluoro-2,3-dihydro-indol-1-yl)-butyric acid;

4-(5-Fluoro-2,3-dihydro-indol-1-yl)-3-(S)-[2-(S)-(3-methoxy-benzoylamino)-4,4-dimethyl-pentanoylamino]-butyric acid ethyl ester;

N-[1-(S)-[2-Cyano-1-(S)-(5-fluoro-2,3-dihydro-indol-1-ylmethyl)-ethylcarbamoyl]-3,3-dimethyl-butyl]-3-methoxy-benzamide;

N-[1-(S)-[5-Amino-1-(S)-(5-fluoro-2,3-dihydro-indol-1-ylmethyl)-pentylcarbamoyl]-3-cyclohexyl-propyl]-3-methoxy-benzamide;

~~3-(S)-(2-(S)-Benzyloxycarbonylamino-3-cyclohexyl-propionylamino)-4-(5-fluoro-2,3-dihydro-indol-1-yl)-butyric acid benzyl ester;~~

~~1-(S)-[1-(R)-Benzylloxymethyl-2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-2-cyclohexyl-ethyl]-carbamic acid benzyl ester;~~

~~N-(3-Cyclohexyl-1-(S)-[2-(3,5-dimethoxybenzyl)oxy]-1-(R)-(5-fluoro-2,3-dihydro-indol-1-yl)methyl]ethylcarbamoyl]propyl)-3-methoxybenzamide;~~

~~4-[2-(R)-[4-Cyclohexyl-2-(S)-(3-methoxybenzoylamino)butyrylamino]-3-(5-fluoro-2,3-dihydro-indol-1-yl)propoxymethyl]benzoic acid methyl ester;~~

~~(S,S)-N-(3-Cyclohexyl-1-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-1-(4-hydroxy-benzyl)-ethylcarbamoyl]-propyl)-3-methoxybenzamide;~~

~~{2-Cyclohexyl-1-(S)-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-1-(S)methyl-ethylcarbamoyl]ethyl} carbamic acid benzyl ester;~~

~~4-Benzyl oxy N-(R,S)-[[2-(4-amidinophenylamino)-1-(S)methyl-ethylcarbamoyl]-
(2,4-dichlorophenyl)methyl]benzamide;~~

~~{1-(S)-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-1-(S)methyl-ethylcarbamoyl]-3,3-dimethylbutyl} carbamic acid benzyl ester;~~

Cyclopropanecarboxylic acid {1-(S)-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-1-(S)methyl-ethylcarbamoyl]-3,3-dimethylbutyl}-amide;

~~(S,S)-2-(3-Chloro-benzenesulfonylamino)-3-cyclohexyl N-[1-methyl-2-(4-trifluoromethoxyphenylamino)ethyl]propionamide;~~

~~(S,S)-3-Cyclohexyl N-[1-methyl-2-(4-trifluoromethoxyphenylamino)ethyl]-2-(3-trifluoromethoxybenzenesulfonylamino)propionamide;~~

~~N-((S)-2-(5-fluoroindolin-1-yl)ethylcarbamoyl)(cyclohexyl)methyl)-3-methylbenzamide;~~

~~N-((S)-1-(2-(5-fluoroindolin-1-yl)ethylcarbamoyl)-2-(2-chlorophenyl)ethyl)-3-methylbenzamide;~~

~~N-((S)-1-(2-(5-fluoroindolin-1-yl)ethylcarbamoyl)-2-(3-chlorophenyl)ethyl)-3-methylbenzamide;~~

~~N-((S)-1-(2-(5-fluoroindolin-1-yl)ethylcarbamoyl)-2-(4-chlorophenyl)ethyl)-3-methylbenzamide;~~

~~(S)-N-(2-Cyclopentyl-1-[2-(5-fluoro-2,3-dihydro-indol-1-yl)-ethylcarbamoyl]-ethyl)-3-methylbenzamide;~~

~~N-((S)-1-(2-(5-fluoroindolin-1-yl)ethylcarbamoyl)-3,3-dimethylbutyl)-3-methylbenzamide;~~

~~N-((S)-1-(2-(5-fluoroindolin-1-yl)ethylcarbamoyl)-3-cyclohexylpropyl)-3-methylbenzamide;~~

N-((S)-1-(2-(5-fluoroindolin-1-yl)ethylcarbamoyl)-2-phenylethyl)-3-methylbenzamide;

N-(R,S)-((3-(5-fluoroindolin-1-yl)-1-hydroxypropan-2-(R)-ylcarbamoyl)(2,4-dichlorophenyl)methyl)-3,4-difluorobenzamide;

~~N (S) ((3 (benzyloxy) 1 (5 fluoroindolin 1 yl)propan 2 (R) ylcarbamoyl)(2,4 dichlorophenyl)methyl) 3,4 difluorobenzamide;~~

(R,S)-N-((2-(5-fluoroindolin-1-yl)ethylcarbamoyl)(2,4-dichlorophenyl)methyl)-3-methylbenzamide;

(S,S)-N-((3-(5-fluoroindolin-1-yl)-1-hydroxypropan-2-ylcarbamoyl)(2,4-dichlorophenyl)methyl)-3,4-difluorobenzamide;

(S,S)-4-(5-Fluoro-2,3-dihydro-indol-1-yl)-3-[2-(3-methoxy-benzoylamino)-4,4-dimethyl-pentanoylamino]-butyric acid; and

~~(S) 3 Cyclohexyl N [2 (5 fluoro 2,3 dihydro indol 1 yl) ethyl] 2 (5 isoxazol 3 yl thiophene 2 sulfonylamino) propionamide;~~

~~(S) 2 (3 Biphenyl 4 yl ureido) 3 cyclohexyl N [2 (5 fluoro 2,3 dihydro indol 1 yl) ethyl] propionamide;~~

~~(S) 3 Cyclohexyl N [2 (5 fluoro 2,3 dihydro indol 1 yl) ethyl] 2 (4 phenoxy benzenesulfonylamino) propionamide;~~

~~(S) 3 Cyclohexyl N [2 (5 fluoro 2,3 dihydro indol 1 yl) ethyl] 2 (naphthalene 1 sulfonylamino) propionamide;~~

~~(S) 3 Cyclohexyl N [2 (5 fluoro 2,3 dihydro indol 1 yl) ethyl] 2 (4 trifluoromethyl benzenesulfonylamino) propionamide;~~

~~(S) 3 Cyclohexyl N [2 (5 fluoro 2,3 dihydro indol 1 yl) ethyl] 2 (4 trifluoromethoxy benzenesulfonylamino) propionamide;~~

~~(S) 3 Cyclohexyl N [2 (5 fluoro 2,3 dihydro indol 1 yl) ethyl] 2 [4 (4 fluoro phenoxy) benzenesulfonylamino] propionamide;~~

~~(S) 3 Cyclohexyl N [2 (5 fluoro 2,3 dihydro indol 1 yl) ethyl] 2 (4' methoxy biphenyl 4 sulfonylamino) propionamide;~~

~~(S) 3 Cyclohexyl N [2 (5 fluoro 2,3 dihydro indol 1 yl) ethyl] 2 (4 methoxy benzenesulfonylamino) propionamide;~~

~~(S) 3 Cyclohexyl 2 (4 difluoromethoxy benzenesulfonylamino) N [2 (5 fluoro 2,3 dihydro indol 1 yl) ethyl] propionamide;~~

~~(S) 3 Cyclohexyl N [2 (5 fluoro 2,3 dihydro indol 1 yl) ethyl] 2 phenylmethanesulfonylamino propionamide;~~

~~(S) 3 Cyclohexyl N [2 (5 fluoro 2,3 dihydro indol 1 yl) ethyl] 2 (toluene 3 sulfonylamino) propionamide;~~

~~(S) 3 Cyclohexyl N [2 (5 fluoro 2,3 dihydro indol 1 yl) ethyl] 2 [4 (4 methoxy phenoxy) benzenesulfonylamino] propionamide;~~

~~(S) 3 Cyclohexyl N [2 (5 fluoro 2,3 dihydro indol 1 yl) ethyl] 2 (3 methoxy benzenesulfonylamino) propionamide;~~

~~(S,S) 3 Cyclohexyl N [2 (5 fluoro 2,3 dihydro indol 1 yl) 1 methyl ethyl] 2 (toluene 3 sulfonylamino) propionamide;~~

~~(S,S) 3 [4,4 Dimethyl 2 (toluene 3 sulfonylamino) pentanoylamino] 4 (5 fluoro 2,3 dihydro indol 1 yl) butyric acid tert butyl ester;~~

~~(S,S) 3 Cyclohexyl N [2 (5 fluoro 2,3 dihydro indol 1 yl) 1 methyl ethyl] 2 (3 trifluoromethoxy benzenesulfonylamino) propionamide;~~

~~(S,S) 2 (3 Chloro benzenesulfonylamino) 3 cyclohexyl N [2 (5 fluoro 2,3 dihydro indol 1 yl) 1 methyl ethyl] propionamide;~~

~~(S,S)-N-{3-Cyclohexyl-1-[1-(5-fluoro-2,3-dihydro-indol-1-ylmethyl)-3-hydroxy-propylcarbamoyl]-propyl}-3-methoxy-benzamide;~~

~~(S,S) 3 [4,4 Dimethyl 2 (toluene 3 sulfonylamino) pentanoylamino] 4 (5 fluoro 2,3 dihydro indol 1 yl) butyric acid;~~

~~(S,S) 2 Benzenesulfonylamino 3 cyclohexyl N [2 (5 fluoro 2,3 dihydro indol 1 yl) 1 methyl ethyl] propionamide; and~~

~~(S,S) 4,4 Dimethyl 2 (toluene 3 sulfonylamino) pentanoic acid [2 (5 fluoro 2,3 dihydro indol 1 yl) 1 methyl ethyl] amide.~~